Contents to volume 334

Discussion Letter

A comment on the absence of calcium regulation of human thioredoxin reductase (FEBS 13182) *J.E. Oblong, G. Powis* 1

Research Letters

The VIP_2 receptor: molecular characterisation of a cDNA encoding a novel receptor for vasoactive intestinal peptide (FEBS 13195) *E.M. Lutz, W.J. Sheward, K.M. West, J.A. Morrow, G. Fink, A.J. Harmar* 3
Regulation of adenylyl cyclase from *Blastocladiella emersonii* by guanine nucleotides (FEBS 13197) *H. Terenzi, J.C.d.C. Maia* 9
Identification and characterisation of a type-1 protein phosphatase from the okadaic acid-producing marine dinoflagellate *Prorocentrum lima* (FEBS 13198) *M.P. Boland, M.F.J.R. Taylor, C.F.B. Holmes* 13
Identification of casein kinase II as a major endogeneous caldesmon kinase in sheep aorta smooth muscle (FEBS 13199) *A.V. Vorotnikov, N.B. Gusev, S. Hua, J.H. Collins, C.S. Redwood, S.B. Marston* 18
Growth hormone, but not insulin-like growth factor I, induces a serum protease activity for insulin-like growth factor binding protein-3 in hypophysectomized rats in vivo (FEBS 13200) *J. Rutishauser, C. Schmid, C. Hauri, E.R. Froesch, J. Zapf* 23
Molecular characterization of a blue visual pigment gene in the fish *Astyanax fasciatus* (FEBS 13201) *R. Yokoyama, S. Yokoyama* 27
ADP-ribosylation of Rho proteins inhibits sperm motility (FEBS 13196) *K.-D. Hinsch, B. Habermann, I. Just, E. Hinsch, S. Pfisterer, W.-B. Schill, K. Aktories* 32
Characterization of AWN-1 glycosylated isoforms helps define the zona pellucida and serine proteinase inhibitor-binding region on boar spermadhesins (FEBS 13204) *J.J. Calvete, L. Sanz, Z. Dostàlovà, E. Töpfer-Petersen* 37
Attraction of human monocytes by the neuropeptide secretoneurin (FEBS 13205) *N. Reinisch, R. Kirchmair, C.M. Kähler, R. Hogue-Angeletti, R. Fischer-Colbrie, H. Winkler, C.J. Wiedermann* 41
The sarco(endo)plasmic reticulum Ca^{2+}-ATPase mRNA isoform, SERCA 3, is expressed in endothelial and epithelial cells in various organs (FEBS 13202) *M. Anger, J.-L. Samuel, F. Marotte, F. Wuytack, L. Rappaport, A.-M. Lompré* 45
Studies on the ability of minor groove binders to induce supercoiling in DNA (FEBS 13206) *K. Störl, G. Burckhardt, J.W. Lown, C. Zimmer* 49
Expression of fully active ammodytoxin A, a potent presynaptically neurotoxic phospholipase A_2, in *Escherichia coli* (FEBS 13203) *N.-S. Liang, J. Pungerčar, I. Križaj, B. Štrukelj, F. Gubenšek* 55
Purification and characterization of p27, a protein from hepatocyte chromatin: Evidence suggesting that it binds selectively to guanine-rich single-stranded DNA (FEBS 13207) *M.A. Rahat, M. Fry* 60
Increased expression of type VI collagen genes in drug-induced gingival enlargement (FEBS 13208) *H. Shikata, N. Utsumi, T. Shimojima, Y. Oda, Y. Okada* 65
Expression of non-hepatic-type *S*-adenosylmethionine synthetase isozyme in rat hepatomas induced by 3′-methyl-4-dimethylaminoazobenzene (FEBS 13210) *S. Hirokawa, Y. Kobayashi, T. Sugiyama, H. Terashima, K. Wada, K. Tsukada* 69
Enzymatic oxidation of the bifunctional wheat inhibitor of subtilisin and endogenous α-amylase (FEBS 13212) *E.L. Gvozdeva, T.A. Valueva, V.V. Mosolov* 72
Purification of a vasoactive peptide related to lysyl-bradykinin from trout plasma (FEBS 13215) *J.M. Conlon, K.R. Olson* 75
Trimeric forms of the photosystem I reaction center complex pre-exist in the membranes of the cyanobacterium *Spirulina platensis* (FEBS 13214) *V.V. Shubin, V.L. Tsuprun, I.N. Bezsmertnaya, N.V. Karapetyan* 79
Effects of repetitive stimulation, veratridine and ouabain on cytoplasmic pH in frog nerve fibres: role of internal Na^+ (FEBS 13213) *O.N. Valkina, O.V. Vergun, V.B. Turovetsky, B.I. Khodorov* 83
Site-directed mutagenesis of AMP-binding residues in adenylate kinase: Alteration of substrate specificity (FEBS 13216) *T. Okajima, K. Tanizawa, T. Fukui* 86
Combined effects of diffusional hindrances, electrostatic repulsion and product inhibition on the kinetic properties of a bound acid phosphatase (FEBS 13209) *I. Thiébart-Fassy, J.-F. Hervagault* 89
Mosses do express conventional, distantly B-type-related phytochromes: Phytochrome of *Physcomitrella patens* (Hedw.) (FEBS 13217) *H.Ü. Kolukisaoglu, B. Braun, W.F. Martin, H.A.W. Schneider-Poetsch* 95
Chloroplast thylakoid protein phosphatase reactions are redox-independent and kinetically heterogeneous (FEBS 13218) *T. Silverstein, L. Cheng, J.F. Allen* 101
No enzymatic activities are necessary for the stabilization of ascorbic acid by K-562 cells (FEBS 13219) *E. Schweinzer, G. Waeg, H. Esterbauer, H. Goldenberg* 106
K^+-driven sinusoidal efflux of glutathione disulfide under oxidative stress in the perfused rat liver (FEBS 13220) *Y. Masuda, M. Ozaki, S. Aoki* 109
Interleukin-10 inhibits endotoxin-induced tissue factor mRNA production by human monocytes (FEBS 13221) *M. Ramani, V. Ollivier, F. Khechai, T. Vu, C. Ternisien, F. Bridey, D. de Prost* 114
Methyl α-glycoside of *N*-thioacetyl-D-neuraminic acid: a potential inhibitor of influenza A virus: A ^1H NMR study (FEBS 13222) *D. Machytka, I. Kharitonenkov, R. Isecke, P. Hetterich, R. Brossmer, R.A. Klein, H.-D. Klenk, H. Egge* 117
Effect of hyperthermia on the extracellular matrix: I. Heat enhances hyaluronan and inhibits sulphated glycosaminoglycan synthesis (FEBS 13226) *Y. Wegrowski* 121
Anion-mediated lysine–arginine interaction: Evidence in *Chaetopterus variopedatus* sperm protamine (FEBS 13225) *M. Piscopo, L. Tomei, L. De Petrocellis, G. Geraci* 125
Watermelon glyoxysomal malate dehydrogenase is sorted to peroxisomes of the methylotrophic yeast, *Hansenula polymorpha* (FEBS 13229) *I.J. van der Klei, K.N. Faber, I. Keizer-Gunnink, C. Gietl, W. Harder, M. Veenhuis* 128
Conversion of GalNAcβ(1–4)GlcNAcβ-OMe into GalNAcβ(1–4)-[Fucα(1–3)]GlcNAcβ-OMe using human milk α3/4-fucosyltransferase: Synthesis of a novel terminal element in glycoprotein glycans (FEBS 13224) *A.A. Bergwerff, J.A. van Kuik, W.E.C.M. Schiphorst, C.A.M. Koeleman, D.H. van den Eijnden, J.P. Kamerling, J.F.G. Vliegenthart* 133
Molecular cloning of crustacean putative molt-inhibiting hormone (MIH) precursor (FEBS 13230) *J.M. Klein, S. Mangerich, D.P.V. de Kleijn, R. Keller, W.M. Weidemann* 139
GTP-binding protein-activator sequences in the insulin receptor (FEBS 13231) *T. Okamoto, T. Okamoto, Y. Murayama, Y. Hayashi, E. Ogata, I. Nishimoto* 143

Hypothesis

A hybrid protein kinase-RNase in an interferon-induced pathway? (FEBS 13236) *P. Bork, C. Sander* 149

Contents to volume 334

Discussion Letter

A comment on the absence of calcium regulation of human thioredoxin reductase (FEBS 13182) *J.E. Oblong, G. Powis* 1

Research Letters

The VIP_2 receptor: molecular characterisation of a cDNA encoding a novel receptor for vasoactive intestinal peptide (FEBS 13195) *E.M. Lutz, W.J. Sheward, K.M. West, J.A. Morrow, G. Fink, A.J. Harmar* 3
Regulation of adenylyl cyclase from *Blastocladiella emersonii* by guanine nucleotides (FEBS 13197) *H. Terenzi, J.C.d.C. Maia* 9
Identification and characterisation of a type-1 protein phosphatase from the okadaic acid-producing marine dinoflagellate *Prorocentrum lima* (FEBS 13198) *M.P. Boland, M.F.J.R. Taylor, C.F.B. Holmes* 13
Identification of casein kinase II as a major endogeneous caldesmon kinase in sheep aorta smooth muscle (FEBS 13199) *A.V. Vorotnikov, N.B. Gusev, S. Hua, J.H. Collins, C.S. Redwood, S.B. Marston* 18
Growth hormone, but not insulin-like growth factor I, induces a serum protease activity for insulin-like growth factor binding protein-3 in hypophysectomized rats in vivo (FEBS 13200) *J. Rutishauser, C. Schmid, C. Hauri, E.R. Froesch, J. Zapf* 23
Molecular characterization of a blue visual pigment gene in the fish *Astyanax fasciatus* (FEBS 13201) *R. Yokoyama, S. Yokoyama* 27
ADP-ribosylation of Rho proteins inhibits sperm motility (FEBS 13196) *K.-D. Hinsch, B. Habermann, I. Just, E. Hinsch, S. Pfisterer, W.-B. Schill, K. Aktories* 32
Characterization of AWN-1 glycosylated isoforms helps define the zona pellucida and serine proteinase inhibitor-binding region on boar spermadhesins (FEBS 13204) *J.J. Calvete, L. Sanz, Z. Dostàlovà, E. Töpfer-Petersen* 37
Attraction of human monocytes by the neuropeptide secretoneurin (FEBS 13205) *N. Reinisch, R. Kirchmair, C.M. Kähler, R. Hogue-Angeletti, R. Fischer-Colbrie, H. Winkler, C.J. Wiedermann* 41
The sarco(endo)plasmic reticulum Ca^{2+}-ATPase mRNA isoform, SERCA 3, is expressed in endothelial and epithelial cells in various organs (FEBS 13202) *M. Anger, J.-L. Samuel, F. Marotte, F. Wuytack, L. Rappaport, A.-M. Lompré* 45
Studies on the ability of minor groove binders to induce supercoiling in DNA (FEBS 13206) *K. Störl, G. Burckhardt, J.W. Lown, C. Zimmer* 49
Expression of fully active ammodytoxin A, a potent presynaptically neurotoxic phospholipase A_2, in *Escherichia coli* (FEBS 13203) *N.-S. Liang, J. Pungerčar, I. Križaj, B. Štrukelj, F. Gubenšek* 55
Purification and characterization of p27, a protein from hepatocyte chromatin: Evidence suggesting that it binds selectively to guanine-rich single-stranded DNA (FEBS 13207) *M.A. Rahat, M. Fry* 60
Increased expression of type VI collagen genes in drug-induced gingival enlargement (FEBS 13208) *H. Shikata, N. Utsumi, T. Shimojima, Y. Oda, Y. Okada* 65
Expression of non-hepatic-type *S*-adenosylmethionine synthetase isozyme in rat hepatomas induced by 3′-methyl-4-dimethylaminoazobenzene (FEBS 13210) *S. Hirokawa, Y. Kobayashi, T. Sugiyama, H. Terashima, K. Wada, K. Tsukada* 69
Enzymatic oxidation of the bifunctional wheat inhibitor of subtilisin and endogenous α-amylase (FEBS 13212) *E.L. Gvozdeva, T.A. Valueva, V.V. Mosolov* 72
Purification of a vasoactive peptide related to lysyl-bradykinin from trout plasma (FEBS 13215) *J.M. Conlon, K.R. Olson* 75
Trimeric forms of the photosystem I reaction center complex pre-exist in the membranes of the cyanobacterium *Spirulina platensis* (FEBS 13214) *V.V. Shubin, V.L. Tsuprun, I.N. Bezsmertnaya, N.V. Karapetyan* 79
Effects of repetitive stimulation, veratridine and ouabain on cytoplasmic pH in frog nerve fibres: role of internal Na^+ (FEBS 13213) *O.N. Valkina, O.V. Vergun, V.B. Turovetsky, B.I. Khodorov* 83
Site-directed mutagenesis of AMP-binding residues in adenylate kinase: Alteration of substrate specificity (FEBS 13216) *T. Okajima, K. Tanizawa, T. Fukui* 86
Combined effects of diffusional hindrances, electrostatic repulsion and product inhibition on the kinetic properties of a bound acid phosphatase (FEBS 13209) *I. Thiébart-Fassy, J.-F. Hervagault* 89
Mosses do express conventional, distantly B-type-related phytochromes: Phytochrome of *Physcomitrella patens* (Hedw.) (FEBS 13217) *H.Ü. Kolukisaoglu, B. Braun, W.F. Martin, H.A.W. Schneider-Poetsch* 95
Chloroplast thylakoid protein phosphatase reactions are redox-independent and kinetically heterogeneous (FEBS 13218) *T. Silverstein, L. Cheng, J.F. Allen* 101
No enzymatic activities are necessary for the stabilization of ascorbic acid by K-562 cells (FEBS 13219) *E. Schweinzer, G. Waeg, H. Esterbauer, H. Goldenberg* 106
K^+-driven sinusoidal efflux of glutathione disulfide under oxidative stress in the perfused rat liver (FEBS 13220) *Y. Masuda, M. Ozaki, S. Aoki* 109
Interleukin-10 inhibits endotoxin-induced tissue factor mRNA production by human monocytes (FEBS 13221) *M. Ramani, V. Ollivier, F. Khechai, T. Vu, C. Ternisien, F. Bridey, D. de Prost* 114
Methyl α-glycoside of *N*-thioacetyl-D-neuraminic acid: a potential inhibitor of influenza A virus: A ^1H NMR study (FEBS 13222) *D. Machytka, I. Kharitonenkov, R. Isecke, P. Hetterich, R. Brossmer, R.A. Klein, H.-D. Klenk, H. Egge* 117
Effect of hyperthermia on the extracellular matrix: I. Heat enhances hyaluronan and inhibits sulphated glycosaminoglycan synthesis (FEBS 13226) *Y. Wegrowski* 121
Anion-mediated lysine–arginine interaction: Evidence in *Chaetopterus variopedatus* sperm protamine (FEBS 13225) *M. Piscopo, L. Tomei, L. De Petrocellis, G. Geraci* 125
Watermelon glyoxysomal malate dehydrogenase is sorted to peroxisomes of the methylotrophic yeast, *Hansenula polymorpha* (FEBS 13229) *I.J. van der Klei, K.N. Faber, I. Keizer-Gunnink, C. Gietl, W. Harder, M. Veenhuis* 128
Conversion of GalNAcβ(1–4)GlcNAcβ-OMe into GalNAcβ(1–4)-[Fucα(1–3)]GlcNAcβ-OMe using human milk α3/4-fucosyltransferase: Synthesis of a novel terminal element in glycoprotein glycans (FEBS 13224) *A.A. Bergwerff, J.A. van Kuik, W.E.C.M. Schiphorst, C.A.M. Koeleman, D.H. van den Eijnden, J.P. Kamerling, J.F.G. Vliegenthart* 133
Molecular cloning of crustacean putative molt-inhibiting hormone (MIH) precursor (FEBS 13230) *J.M. Klein, S. Mangerich, D.P.V. de Kleijn, R. Keller, W.M. Weidemann* 139
GTP-binding protein-activator sequences in the insulin receptor (FEBS 13231) *T. Okamoto, T. Okamoto, Y. Murayama, Y. Hayashi, E. Ogata, I. Nishimoto* 143

Hypothesis

A hybrid protein kinase-RNase in an interferon-induced pathway? (FEBS 13236) *P. Bork, C. Sander* 149

Research Letters

Molecular cloning of cDNA for the 29 kDa proteinase participating in decomposition of the larval fat body during metamorphosis of *Sarcophaga peregrina* (flesh fly) (FEBS 13232) *N. Takahashi, S. Kurata, S. Natori* 153

Na^+,K^+-ATPase of gastric cells: A target of *Helicobacter pylori* cytotoxic activity (FEBS 13233) *V. Ricci, P. Sommi, E. Cova, R. Fiocca, M. Romano, K.J. Ivey, E. Solcia, U. Ventura* 158

Inhibition of the epidermal growth factor receptor tyrosine kinase activity by leflunomide (FEBS 13234) *T. Mattar, K. Kochhar, R. Bartlett, E.G. Bremer, A. Finnegan* 161

The antirepressor of phage P1: Isolation and interaction with the C1 repressor of P1 and P7 (FEBS 13235) *H.-D. Riedel, J. Heinrich, A. Heisig, T. Choli, H. Schuster* 165

Inhibition of low-density lipoprotein oxidation by nitric oxide: Potential role in atherogenesis (FEBS 13240) *N. Hogg, B. Kalyanaraman, J. Joseph, A. Struck, S. Parthasarathy* 170

Rab11, a small GTPase associated with both constitutive and regulated secretory pathways in PC12 cells (FEBS 13237) *S. Urbé, L.A. Huber, M. Zerial, S.A. Tooze, R.G. Parton* 175

Membrane phospholipid asymmetry in DMPC-induced human red cell vesicles (FEBS 13238) *K. de Jong, P. Ott* 183

Interleukin 1 and tumour necrosis factor activate the mitogen-activated protein (MAP) kinase kinase in cultured cells (FEBS 13239) *J. Saklatvala, L.M. Rawlinson, C.J. Marshall, M. Kracht* 189

Pregnancy associated increase in mRNA for soluble D-factor/LIF receptor in mouse liver (FEBS 13241) *M. Tomida, Y. Yamamoto-Yamaguchi, M. Hozumi* 193

Differentiation of HL60 promyelocytic cells is promoted by a 'differentiation enhancing factor' produced by erythroleukemia cells (FEBS 13223) *B. Sparatore, M. Passalacqua, M. Patrone, A. Pessino, E. Melloni, S. Pontremoli* 198

X-Arrestin: a new retinal arrestin mapping to the X chromosome (FEBS 13211) *A. Murakami, T. Yajima, H. Sakuma, M.J. McLaren, G. Inana* 203

In vitro characterization of Ro 46-2005, a novel synthetic nonpeptide endothelin antagonist of ET_A and ET_B receptors (FEBS 13244) *V. Breu, B.-M. Löffler, M. Clozel* 210

Engineering resistance to 'aging' of phosphylated human acetylcholinesterase: Role of hydrogen bond network in the active center (FEBS 13242) *A. Ordentlich, C. Kronman, D. Barak, D. Stein, N. Ariel, D. Marcus, B. Velan, A. Shafferman* 215

Effects of $[Ca^{2+}]_i$ and temperature on minK channels expressed in *Xenopus* oocytes (FEBS 13243) *A.E. Busch, F. Lang* 221

Long-term effects of thrombin require sustained activation of the functional thrombin receptor (FEBS 13245) *U. Zacharias, C.-J. He, G. Nguyen, J.D. Sraer, E. Rondeau* 225

Expression of interleukin-1α and interleukin-1 receptor type I genes in murine brown adipose tissue (FEBS 13246) *L. Burýšek, P. Tvrdik, J. Houštěk* 229

Cloning and expression in yeast of a higher plant chorismate mutase: Molecular cloning, sequencing of the cDNA and characterization of the *Arabidopsis thaliana* enzyme expressed in yeast (FEBS 13248) *J. Eberhard, H.-R. Raesecke, J. Schmid, N. Amrhein* 233

Length polymorphisms in new human collagen-like loci (FEBS 13249) *J.L. Doering, A.E. Burket, L.C. Vogel* 237

The secondary structure of the ferredoxin transit sequence is modulated by its interaction with negatively charged lipids (FEBS 13250) *L. Horniak, M. Pilon, R. van 't Hof, B. de Kruijff* 241

Primary structure and catalytic properties of extracellular ribonuclease of bacillus circulans (FEBS 13247) *A.A. Dementiev, G.P. Moiseyev, S.V. Shlyapnikov* 247

Minireview

Super-secondary structures involving triple-strand β-sheets (FEBS 13251) *A.V. Efimov* 253

Research Letters

Selectivity of phospholipase C isozymes in growth factor signaling (FEBS 13252) *Y.-S. Cho, M.-K. Han, S.-W. Chae, C.-U. Park, U.-H. Kim* 257

Azidobutyryl clentiazem, a new photoactivatable diltiazem analog, labels benzothiazepine binding sites in the α_1 subunit of the skeletal muscle calcium channel (FEBS 13253) *T. Watanabe, H. Kalasz, H. Yabana, A. Kuniyasu, J. Mershon, K. Itagaki, P.L. Vaghy, K. Naito, H. Nakayama, A. Schwartz* 261

Secondary structure of globular proteins at the early and the final stages in protein folding (FEBS 13254) *K. Kuwajima, G.V. Semisotnov, A.V. Finkelstein, S. Sugai, O.B. Ptitsyn* 265

Interaction of clavulanate with class C β-lactamases (FEBS 13255) *D. Monnaie, J.-M. Frere* 269

A synthetic model of collagen structure taken from bovine macrophage scavenger receptor (FEBS 13257) *T. Tanaka, Y. Wada, H. Nakamura, T. Doi, T. Imanishi, T. Kodama* 272

Transcription in vitro promoted by the *Agrobacterium* VirG protein (FEBS 13256) *H. Endoh, T. Aoyama, A. Oka* 277

Differential expression of dystrophin, utrophin and dystrophin-associated proteins in peripheral nerve (FEBS 13258) *K. Matsumura, H. Yamada, T. Shimizu, K.P. Campbell* 281

Characterization of the hepatic insulin receptor undergoing internalization through clathrin-coated vesicles and endosomes (FEBS 13263) *M. Jose, J.A. Biosca, R. Trujillo, E. Itarte* 286

Neuron-specific glucose transporter (NSGT): CNS distribution of GLUT3 rat glucose transporter (RGT3) in rat central neurons (FEBS 13259) *S. Nagamatsu, H. Sawa, K. Kamada, Y. Nakamichi, K. Yoshimoto, T. Hoshino* 289

Amino acid sequence and thermostability of xylanase A from *Schizophyllum commune* (FEBS 13264) *T. Oku, C. Roy, D.C. Watson, W. Wakarchuk, R. Campbell, M. Yaguchi, L. Jurasek, M.G. Paice* 296

Experimental evidence for 60 Hz magnetic fields operating through the signal transduction cascade: Effects on calcium influx and c-MYC mRNA induction (FEBS 13260) *R.P. Liburdy, D.E. Callahan, J. Harland, E. Dunham, T.R. Sloma, P. Yaswen* 301

Modulation of interleukin 2 high affinity binding to human T cells by a pyrimidodiazepine insect metabolite (FEBS 13261) *P.H. Boyle, M. Borchert, A.P. Davis, F.M. Heaney, I. Ziegler* 309

Transfection-mediated expression of human Hsp70i protects rat dorsal root ganglian neurones and glia from severe heat stress (FEBS 13262) *J.B. Uney, J.N.C. Kew, K. Staley, P. Tyers, M.V. Sofroniew* 313

Evidence for release of free glucose from muscle during amylin-induced glycogenolysis in rats (FEBS 13265) *A.A. Young, P. Carlo, P. Smith, D. Wolfe-Lopez, R. Pittner, M.-W. Wang, T. Rink* 317

Inversion of Ca^{2+} current modulation during recovery of neuroblastoma cells from pertussis toxin pretreatment (FEBS 13267) *P. Friederich, B. Nürnberg, G. Schultz, J. Hescheler* 322

Activation of NF-κB by cAMP in human myeloid cells (FEBS 13269) *E. Serkkola, M. Hurme* 327

Stimulation of prostaglandin production by hepatocyte growth factor in human gastric carcinoma cells (FEBS 13270) *T. Hori, S. Shibamoto, M. Hayakawa, K. Takeuchi, N. Oku, K. Miyazawa, N. Kitamura, F. Ito* 331

Specificity determinants for the AMP-activated protein kinase and its plant homologue analysed using synthetic peptides (FEBS 13266) *J. Weekes, K.L. Ball, F.B. Caudwell, D.G. Hardie* 335

The affinity-labelling of cathepsin S with peptidyl diazomethyl ketones: Comparison with the inhibition of cathepsin L and calpain (FEBS 13268) *E. Shaw, S. Mohanty, A. Colic, V. Stoka, V. Turk* 340

Secretagogue-induced calcium wave shows higher and prolonged transients of nuclear calcium concentration in mast cells (FEBS 13227) *S. Katagiri, T. Takamatsu, T. Minamikawa, S. Fujita* 343

Antibodies to fluorylsulfonylbenzoyladenosine permit identification of protein kinases (FEBS 13271) *P.J. Parker* 347

Impaired gene transcription and nuclear protein kinase C activation in the brain and liver of aged rats (FEBS 13272) *P.J. Rogue, M.-F. Ritz, A.N. Malviya* 351

Effects of amino acid substitution on the thermal stability of MS2 capsids lacking genomic RNA (FEBS 13273) *N.J. Stonehouse, P.G. Stockley* 355

Determination and mutational analysis of the phosphorylation site in the hypusine-containing protein Hyp2p (FEBS 13274) *H. Klier, T. Wöhl, C. Eckerskorn, V. Magdolen, F. Lottspeich* 360

A rice homeotic gene, *OSH1*, causes unusual phenotypes in transgenic tobacco (FEBS 13228) *Y. Kano-Murakami, T. Yanai, A. Tagiri, M. Matsuoka* 365

Analysis of topoisomerase II-mediated DNA cleavage of the c-*myc* gene during HL60 differentiation (FEBS 13276) *J.-F. Riou, M. Gabillot, G. Riou* 369

Nature of the pH-induced conformational changes and exposure of the C-terminal region of chromogranin A (FEBS 13275) *S.H. Yoo, J.A. Ferretti* 373

Erratum 378

Author index to Volume 334 383

Contents to Volume 334 388